

# AVIATION

*The Oldest American Aeronautical Magazine*

MARCH 9, 1929

Issued Weekly

PRICE 20 CENTS



Action picture of a Whirlwind powered tapered wing Waco.

VOLUME  
XXVI

NUMBER  
10

## Special Features

Tractors in Airport Building

1928 Airplane and Engine Production

Cross-License Agreement of Dec. 31, 1928

McGRAW-HILL PUBLISHING COMPANY, INC.  
TENTH AVENUE AT 36TH STREET  
NEW YORK, N. Y.

Entered as second class matter July 27, 1928, at the post office at New York, N. Y., under the  
act of March 5, 1879. Yearly subscription rates: Domestic, \$4; Canada, \$5. All other countries, \$6.



Over any country  
bucking strong headwinds  
-TP-Aero  
protects your motor

TP-Aero, the Original and only all paraffin base ZERO POUB TEST oil, will keep its fluidity as low as 40 degrees below zero. This is a straight run and not a blended or compounded oil. Its wax free feature is responsible for its low cold test as well as its outstanding fluidity at extremely low temperatures. It also holds its viscosity at extremely high motor temperatures. It is an enriched oil, made especially for aircraft motors. If your dealer cannot supply you, write us.

[then we will ship you back our laboratory's  
big cold test paraffin base sample of product]

free—

Order a can  
sample of  
TP-Aero  
and we will  
send you  
our  
laboratory's  
big cold test  
sample of  
product.



Paints  
Pencils

Soaps

Address

At

TEXAS PACIFIC COAL & OIL CO.

For Texas, Texas

to Africa

to Australia

Please send me, without obligation, your Paint Log Book, described above.


City

State

Type of Dealer Name

THANK YOU for reading AVIATION

THE RESULT OF UNIFIED DESIGN—  
**THE ARGO**



To the pilot setting the mass for the perfect maneuverability of the Argo we have a dozen corner-rounded things.

Designed as a fast and light weight the mass test, the new Argo and the Hawker Hurricane together make a picture of speed.

Quick take off, rapid climb speed, and reach in all areas of headwinds—then under the Argo as ideal plane for aerofoil instruction, fast messenger service, and for the spectators who want a pilot that will meet every demand that can be made upon it.



The ALLIANCE AIRCRAFT CORPORATION, alliance, O



WHEREVER IT flies, the tri-color star of The Glenn L. Martin Company signifies to the experienced observer engineering supremacy, fine workmanship and unremitting care or—in one word—dependability.

THE GLENN L. MARTIN COMPANY

*Builders of Quality Aircraft since 1910*  
BALTIMORE, MARYLAND



**QUALITY COUNTS!**

THE  
*New*  
STANDARD  
AIRCRAFT CORP.  
PATERSON, N.J.

"THE NEW STANDARD IS THE TRUE STANDARD"

Pilots call New Standards quality airplanes...and that means... unusual strength of construction, instant action in control, maneuverability, dependability, quick take off, slow landing and comfort.

Once flown—your choice forever!

Quality planes deserve quality distributors. Maybe your territory is open. Can you qualify?



Showing the Avian with wings folded. (Brodie Page  
Stated. Original structural equipment on all planes)

THANK YOU for reading AVIATION

# The AVIAN

## THE AVRO AVIAN

—the outstanding sport and training plane of the world—is being put into production under sole royalty rights in the United States with the trademark, Whittemsey Avian.

Pending deliveries of Whittemsey Avian, the imported Avro Avians will be available for purchase during March and April.

**Sportsmen and flyers hail the arrival of the WHITTELEY AVIAN.**  
Safest—most dependable—easiest to

*arrives in AMERICA!*



fly, this famous sport plane holds the following records:

First solo flight, England to Australia...Fastest time, England to Australia...Longest solo flight ever made...Longest solo flight by an American woman...Longest flight ever made in a light acroplane...Fastest time, England to India...First non-stop flight, London to Rome.

The Whittemsey Avian will be a duplicate of the English Avro Avian—to sell at the popular price of \$4995. (Flyaway or f.o.b. Bridgeport, Conn.)

**N**ational distribution of the Whittemsey Avian is planned, and arrangements for representation in leading aviation centers throughout the country are being made.

Interested and responsible parties are invited to write for full information regarding distributorships to:

**THE WHITTELEY  
MANUFACTURING COMPANY**  
(Formerly Whittemsey Body Company)  
New offices and plant 311 Broad Avenue  
Bridgeport, Conn.



\*Air Associates, Inc., have been appointed distributor for the New York area and have demonstration planes at their hangar at Curtiss Field.

THANK YOU for reading AVIATION



**EAGLEROCK**

THANK YOU for visiting AVIATION



**BENDIX wheels and brakes  
are standard on the  
Stearman Models 68 and 86**

How a plane handles in the air is one thing...  
how it maneuvers on the ground, when starting,  
and when landing, is quite another.

The first depends on many engineering factors. But the second depends largely upon wheels and brakes. It is here that Bendix excels. Bendix equipment being standard with all the leading manufacturers.

Stearman is one of these. The success of Stearman Models 68 and 86 is partly due to Bendix wheels and brakes, unshifting safety equipment—the standard of the industry.

BENDIX BRAKE COMPANY  
General Office and Plant, South Bend, Indiana  
Division of Bendix Corporation, Chicago

Approved for:  
ADVANCED MODEL 10  
BOEING SCOUT  
BOEING AIRFLEET  
BOEING AIRPLANE COMPANY  
CANTERBURY AIRCRAFT  
CANTERBURY FALCON  
CANTERBURY TRAINERS  
CANTERBURY TRAINERS  
DOUGLAS AIRCRAFT  
FAIRCHILD AIRCRAFT  
LAING LUG  
MARTIN NAVY BOMBER  
MILITARY AIRCRAFT  
STRATOLINER 10-86  
TRAVELAIR CLOUD CARAVAN  
VICKERS AIRLINER  
U. S. ARMY AIR CORPS  
(for all aircraft)

**BENDIX 4 BRAKES**

FOR SAFETY

FULLY PROTECTED BY PATENTS AND APPLICATIONS IN U. S. AND ABROAD

THANK YOU for visiting AVIATION

Copyright 1939 by The Goodyear Tire & Rubber Co. Inc.

## Look to Goodyear

Goodyear makes everything in rubber for the airplane. Perhaps, in designing, or building, or operating planes you have a suggestion for something else Goodyear might make, or help to make, to improve aircraft.

Put it up to Goodyear. A large, capable and experienced organization will give you assistance in design and manufacture. For Goodyear wants to do everything within the power of the world's greatest rubber company to assist the development and perfection of aircraft.

Remember, too, that Goodyear has compiled most complete, authentic, and valuable data on airplane tires. And Goodyear renders international service through Goodyear distributing stations everywhere.

No matter what your problem, put it up to Goodyear. Just write, wire, telephone or come personally.

*Aviation Department*  
GOODYEAR, AKRON, OHIO,  
or LOS ANGELES, CALIFORNIA

EVERYTHING IN RUBBER FOR THE AIRPLANE

THANK YOU for reading AVIATION

# ADEQUATE ENGINEERING

FROM providing a maximum of comfort and convenience for passenger flight down to the last little detail of simplifying construction and suspension the KIN-Lashed has the advantage of an engineering staff of established reputation and long experience.

You will be delighted and surprised by many of its unique features—plywood covered wings—the detachable power plant unit—the handled fuel and load details that make it at once an outstanding design built by an organization that believes in quality and knows how to produce it.

**KNOLL**  
AIRCRAFT CORPORATION  
WICHITA, KANSAS

THANK YOU for reading AVIATION



## NEW!—Through and Through!

*"An unequalled bad-weather ship," say veteran pilots  
of the new Ryan Brougham for Six*

—And a fair weather ship beyond comparison, too—is this new Brougham, the most beautiful ship and the greatest performer Ryan ever built. The new Ryan represents the happy medium—speed, stability, maneuverability, and now perfected cockpit design puts it in a class with the finest motor cars.

"*Patented stability*" is no longer an empty phrase. It is the verdict of every pilot who has flown this brilliant ship. "Hands off" flight is now commonplace—here is a ship which, properly balanced, will keep constant altitude at any engine speed . . . will recover automatically when the pilot is out . . . has directional stability, even at sailing speeds.

"Red" Hartigan, Ryan Chief Test Pilot, will tell you—and show you—it is the best balanced ship in America today. Pull the nose high in a stall and you will experience no tailing off. If conditions demand, this balanced ship could be flown and landed with the stick alone, or with only the rudder and stabilizer. These great qualities reach their biggest development in the Ryan.

Exterior attractively painted—interior in the best taste in coach design. Individual middle and control seats . . . comfortable for cross country trips. New controls give an absolutely clean floor . . . nothing to jam or catch . . . easy brake control . . . the ultimate in comfort and security.

This sun-winged Brougham is designed for first-class commercial air travel and is well adapted to special speed trips of business executives. *It takes off faster and lands slower than any other plane of its type.* The substantial performance given by the B-5 model with the Wright J-3 motor is amplified in an astounding degree in the B-6 model with the Wright J-6 motor.

*Created by a celebrated company which built and sold more biplanes than any ship in 1928 than any other maker.*

Ships of this new model are ready for early delivery through Mahoney-Ryan Distributors situated at the leading aeroports throughout this country and abroad. Illustrated four-color brochure giving full description will shortly be available to interested individuals and corporations.

**The MAHONEY - RYAN AIRCRAFT CORP.**

Lambert-St. Louis  
Airport




Anglo, St. Louis County  
Missouri

THANK YOU for visiting AVIATION

# From Nose Tip to Tail Wheel . . .

## Goodrich makes Every Rubber Product



### USED ON AN AIRPLANE

FEW PEOPLE realize just how many parts of an airplane are actually made of rubber. Goodrich makes over forty standard aviation rubber products . . . it stocks the only complete line today.

Among these are the famous Goodrich Silvertowne pneumatic tires, sponge rubber tail wheels, streamline wind shields, shock absorber cord, rings and discs, radiator hose, gasoline hose, air speed indicator tubing, floor matting, portion hand hole covers, handle grips, grommets, cement, aerobond, engine mounts, etc.

All parts are alike in Goodrich standards of quality. You may buy Goodrich rubber products from any Goodrich branch warehouse.

Goodrich has staked out its field in aviation. The results of American aviation are in every sense of the word. There Goodrich has pioneered . . . there Goodrich has written airplane history. And there Goodrich flies with the leaders, with its products as far advanced over others as the modern airplane is advanced over the biplane of two decades ago.

**THE H. F. GOODRICH RUBBER COMPANY**, Akron, Ohio. **East 1020**  
Penthouse Goodrich Rubber Company, Inc.,  
Los Angeles, Calif.; **15 Clinton, Chester**  
Goodrich Rubber Co., Etobicoke, Ont.

**Goodrich Rubber for Airplanes** 

THANK YOU for visiting AVIATION





## USE THE AIR SERVICE



CITIES are awakening to the need for airports and real air terminals. While many landing fields may be found, there are but few modern airports in the United States today. The aeronautical future of a city depends upon wise guidance in providing adequate and proper airport facilities.

With more than 10 years experience in all branches of the aviation industry, Austin offers the following:

**Complete Airport Service**—preliminary surveys and reports, engineering surveys and studies, site selection.

**Design and Construction**—grading, drainage, lighting, all necessary airport buildings such as administration buildings, hangars, repair shops, etc. Also aircraft factory buildings. Ask for booklet, "Airports and Aviation Buildings."

**THE AUSTIN COMPANY**  
Airport Engineers and Builders      Cleveland  
New York, Chicago, Philadelphia, Detroit, Cincinnati, Pittsburgh,  
St. Louis, Seattle, Portland, Los Angeles, San Francisco, Dallas



Name in THE AUSTIN COMPANY, Cleveland

We are interested in \_\_\_\_\_

in the \_\_\_\_\_ field.

Airports and Aviation Buildings       The Austin Book of Building Materials

From \_\_\_\_\_

Date \_\_\_\_\_

20-100

THANK YOU for reading AVIATION

# AVIATION

*The Oldest American Aeronautical Magazine*

EARL D. O'BRIEN      JAMES H. McGRAW, JR.  
*Editor*      *Publishing Director*  
R. STANLEY BOWERS, JR.  
*Associate Editor*

LEWIS E. NEVILLE      JAMES P. WILCOX  
*Technical Editor*      *Associate Editor*  
EARLIE F. POWELL      CHARLES H. GALE  
*News Editor*      *Associate Editor*

Vol. XXVI      March 9, 1939      No. 10

## Index to Contents

EDITORIALS	717
1938 AIRPLANE AND ENGINE PRICES	723
RESEARCH LABORATORY AT STANFORD	723
UNIVERSITY	722
TRACTORS IN AIRPORT BUILDING	726
CROSS-LICENSE AGREEMENT OF DEC.	728
31, 1938	728
NEWS SECTION	728 to 740
THE UNITED LOG BOOK	741
SEED SHIPS	742
INDEX TO ADVERTISERS	742

MCGRAW-HILL PUBLISHING COMPANY, Inc.  
10th Avenue at 34th Street  
New York, N. Y.

Editorial Office: MCGRAW-HILL, N. Y.

JAMES H. McGRAW, Chairman of the Board  
EARL D. O'BRIEN, President  
JAMES H. McGRAW, Jr., Vice President and Treasurer  
EDWARD J. MERRILL, Vice President  
WALTER H. MCGRAW, Vice President  
LEON WILCOX, Vice President  
HAROLD W. MCGRAW, Vice President  
C. E. THOMPSON, Secretary

NEW YORK General Office, 20 West 45th Street  
WASHINGTON, National Press Building  
CHICAGO, 400 North Michigan Avenue  
PHILADELPHIA, 609 Arch Street  
CLEVELAND, 100 Euclid Avenue  
DETROIT, 100 Washington Building  
SAN FRANCISCO, 80 Market Street  
LONDON, 4 Queen's Gate, London, S. W. 1

Copyright, 1939, by McGraw-Hill Publishing Company, Inc.

THANK YOU for reading AVIATION

# SCINTILLA

## Aircraft Magnets



Standard Equipment on  
Aircraft Motors

### Built by

Wright Aeronautical Corp.  
Pratt & Whitney Aircraft Co.  
Curtiss Aeroplane & Motor Co.  
Warner Aircraft Corp.  
Kinney Aeroplane & Motor Co.  
Aircraft Engines Company  
Axelson Machine Company  
Brownback Motor Laboratories, Inc.  
American Cirrus Engines, Inc.  
Leblond Aircraft Corp.  
Lycoming Manufacturing Co.  
Continental Motors Corp.  
Kimball Aircraft Corp.  
Rocky Mt. Sted Products, Inc.  
Velle Motors Corp.  
Michigan Screw Company

Scintilla Aircraft Magnets  
are selected because of their

**DEPENDABILITY**  
**SIMPLICITY**  
**ACCESSIBILITY**

These magnets can be obtained for  
engines of from one to  
eighteen cylinders

**SCINTILLA MAGNETO CO. INC.**  
SIXTY-NINE — NEW YORK  
Contractors to the U. S. Army and Navy

*A wider range  
of WHIRLWINDS  
to spread a wider  
confidence!*

More than ever Wright Whirlwind Engines offer no forward-thinking plane manufacturers increasingly greater possibilities for larger sales and greater profits.

In offering the famous Wright Whirlwind Engine in these power ranges, 150 H.P., 225 H.P. and 300 H.P., with its compact and portly construction, the advantages attained in plane building are obvious. Similar maneuverability and shorter repair and overhaul periods are resulting because the large open wheel sales are constant.

To those who have questions, who are also to the possibilities that lie in the future, the Wright Whirlwind engine offers acceptance, from names of prestige, shorter overhead periods, and consequently greater profits. Wright Whirlwind-powered mass production means a leadership in steady, reliable performance.

Behind Wright Whirlwind En- gines stands a world-wide service organization reaching into every aviation center.

*The public knows and trusts  
Wright Engines*



*More power  
to the wings  
of the world*

**WRIGHT** The first name in flying  
WRIGHT AERONAUTICAL CORPORATION, Paterson, New Jersey, U. S. A.  
Cottage Wright Division, Santa Monica, California  
AUTHORIZED PARTS DEALERS  
Aero Service Corp., Los Angeles, Calif.  
Aero Service Inc., Southern Calif.  
An American Inc., Long Island, N. Y.  
Aero Service Corp., Los Angeles, Calif.  
Aero Service Inc., Southern Calif.



*Early—Nearly the  
World Immediately  
Responds to the Call  
of the Single Advance  
of the Aer—With  
Confidence Safety!*



Vol. XXVI

MARCH 9, 1929

No. 10

*The Oldest American Aeronautical Magazine*

## Changing Terminology

THE N. Y. L. form of accident report which was illustrated in our issue of February 26 lists, as one of the classifications of the causes of accidents, the term "whirls." It is pointed out by one of our correspondents that it would have been better had we used the word "roll." He points out that every roll is really the result of a stall and that this would have been the better word to use.

An interesting fact is our letter last issue, which described conventional planes, are not such frequent causes of accidents as to deserve a separate classification. Many conventional planes cannot be spun except by an expert pilot using all his power and full controls, and most conventional planes will not roll out of a spin smoothly after the controls are put in a neutral position. Therefore accidents due to spinning with conventional planes will be rare. With military planes the spin probably will be more frequent.

With the improvement in the design of planes, however, a distinction will have to be made between rolling and what is commonly called "spinning." Stalling in old types of planes usually resulted in a spin. In a modern design a real stall results in the plane pitching forward and releasing nose speed to make the controls effective. If the ground gets in the way too soon there is a crack up. Planes are being developed, however, which will not pitch over so easily. These planes, when the controls are used very suddenly, will roll out in a position where it is most either when nose down or ship sideways. These planes will settle on an even keel and with effective control even though they have gone far beyond the stall point. If the ground meets them while they are still settling a crack up results which though highly absorbed by the undercarriage may promptly knock out the plane. The advance in the design of planes, evidently necessitated by the use of a new form of engine, and the latter word that "spinning" should be described for the ability or inability of settling rapidly, while in an even keel.

## A Double Lesson

IT WAS to be expected that Earleigh would fly again as soon as possible after his recent accident with Moisés at Mexia City. Not only was the action that astringent of his spryng spirit but it was perfectly good psychology. Long years ago it was found that it was best to remount a horse after being thrown and the same applies to a plane.

The other lesson is that more attention should be paid to whisks and fuselage gear. Whisks came off at fre-

quently as whisks and tools used to come off the early airplanes. The writer has seen one come off and has also been up in a plane when one came off, and he can assure his readers that it is a most unpleasant sensation to be flying around knowing that the whisk had lost its anchor. Ultimately, however, probably will be required for whisks as far as airplanes are concerned, but as the manufacturer modifies and refines should examine them carefully from time to time and make sure that everything is as it should be.

## Blind Flying Instruction

BLIND flying does not cloud the eyes, from the operators of the air mail, and there is no doubt but more of it has to be done down in this country than in any other part of the world. American mail pilots taught themselves to fly by instruments not because they wanted to, but because they had to, and the development of the instruments and the use of them developed simultaneously. As a result of not having proper instruments when they learned originally, only old-timers pilot with the exception of a few, and the few are the best. There are many, however, very experienced pilots who ever today fly blind even with the best of instruments. They say many others consider flying blind as an art which can only be learned by long experience and by much flying under weather conditions that the experienced pilot of mature years is not willing to risk.

To a certain extent this is true, but on the other hand the proper use of instruments can be demonstrated and good practice soon makes them easy to use. The first step is to learn with the Dutch. These days will suffice that the eyes are not to be treated as easily as are the instruments. In the better schools of advanced piloting in Europe there are dual control machines with a hood strapped over the student's head so that he can not see nothing but his instruments. The student is thus forced to fly by instruments, yet at the same time there is no danger as the instructor can check mistakes. Even machines are provided with the pilot under a hood. It often takes an experienced pilot about as long to fly by instruments with comfort and precision as it does for a novice to learn to fly at all.

This bootleg flying does not, of course, make an experienced blind flier any more than practising lessons make an expert, but it does help. It would seem as if there might be much value both in fibers and in a shell in going farther into the art of flying in thick and murky weather. Many pilots, of course, prefer to fly through clouds when there is a reasonable cutting between the clouds and the earth, but this may be dangerous and is not to be recommended when carrying passengers.





# Research Laboratory at Stanford University

By ANDREW R. BOONE

THE aerodynamic laboratory of Stanford University, California, was installed during the winter of 1925-27 with the immediate purpose in view of an extended investigation on air propellers, the first stage of which was planned for 1927. With the completion of the National Advisory Committee for Aeronautics, a wind tunnel was built in one of the existing buildings. A propeller dynamometer was constructed and an experimental program on 51 model airplane propellers was started to complete. That was the first systematic investigation of the characteristics of air propellers conducted in this country and the most extensive single research ever undertaken in this field.

Since that time other researches have been undertaken and the laboratory now is engaged in a program of experimental research. The progress, which follows, may be of interest to those the laboratory and its equipment are concerned.

1—An experimental investigation of the performance characteristics of a series of five model propellers in a free air stream and in combination with a model VE-3 seaplane.

2—An experimental investigation of air propellers in a wind tunnel. It is planned to conduct this investigation in a

series of United States Navy standard models at angles from zero to 20 deg.

3—An experimental investigation of the rotational velocity of the slip of air propellers. It is planned first to determine the relation in the signatures of a series of U. S. Navy standard models of air propellers and then to investigate the effect of unbalance forces upon the power absorbed and efficiency.

4—An experimental and theoretical investigation of the causes of desensitization airflow. It is desired to formulate criteria which will enable the prediction of the departure of smooth flow from the surface of an airfoil or streamlined body.

5—An experimental investigation of the induced drag of high aspect ratio airfoils. It is intended to test airfoils having aspect ratios from six to 18 and to compare the results with the predictions of the Landweber-Perrin theory.

6—An experimental investigation of the profile drag of certain airfoils. A special form of airfoil has been devised by which it is believed the profile drag may be measured directly with a balance. An airfoil will be tested at a number of angles of attack to determine if experimental evidence supports the theory involved.

The present work, like that first, is of the fifth type. Except for detailed modifications, it generally resembles the first. This type consists essentially of three elements: collector, diffuser and experiment chamber. At the end of the



Two views of the wind tunnel in the Stanford University aerodynamic laboratory in which research on 51 model airplane propellers was carried to completion.

diffuser is located an exhaust fan which draws the air through the diffuser and delivers it to the room in which the tunnel is located.

The drift of air from the diffuser may be viewed as producing a reduced pressure in the experiment room, which is balanced by the air entering otherwise except that air enters through the collector. In answer to the question (diffusion) of pressure between the experiment room and that in the surrounding room on the outside), the air flows as through a nozzle, in through a collector, across the experiment room in the lower mouth of the diffuser, and thence on to the jet. The air then enters the diffuser through the experiment room as there available for aerodynamic investigation.

The cross section was taken circular and the diameter of the front of the present tunnel is 8 ft. Aside from structural details, the chief problem in the design of the wind tunnel related to the design of the wind tunnel related to the design of the wind tunnel and the collector.

At the end of the diffuser and just before reaching the propeller exhaust fan, the form of the diffuser is slightly modified by lengthening the curve of cross-section area so slightly so that the areas are smoothly uniform just before reaching the fan location at the exit end of the diffuser. In order to secure uniformity in flow at the entrance into the mouth of the collector, a long nozzle was built in the laboratory and connected to hexagonal rods. These rods hold the collector fan, splitwise at the edges to form a diffuser and made structure with thin walls and presenting minimum resistance to the flow of air. In order to collect the air at the exhaust end of the diffuser, an inward projecting flaring rim was fitted.

The exhaust fan at the outer end of the diffuser is of the propeller type. The propeller has a draw through a belt connector from a motor. Such change in air speed as are desired in the program of propeller tests are obtained by change in the size of the drive pulley on the motor shaft. The speed for any given number of revolutions readily accommodated for any given size of fan and variable regulation of the test propeller. This permits a constant motor speed for the fan propeller with variations in slip and other conditions attained by varying the revolutions of the model propeller.

No attempt will be made to give full structural details of the equipment. These must in any case be determined largely by special circumstances. It is interesting to note however, that the room was made practically airtight. The aerodynamically smooth walls and ceiling reduce the noise of the propeller apparatus. For entry and exit from the room an airlock is provided with doors closing on outside packing strips and fitted with self-aligning hinges, allowing close contact between door and packing. With this present character of construction the experiment room was readily made substantially airtight and of a strength sufficient to carry the load due to the excess pressure of the outer air above that maintained in the chamber.

The speed equipment for propeller testing comprises the following items:


1—Dynamometer. 2—Torque dynamometer,  
3—Revolution counter. 4—Air speed meter.

With reference to the thrust dynamometer, the general form of the apparatus was so designed as to place the propeller well forward of any sensible obstruction in the

path of the air stream, and even here the standard is given a sharp forward and after edge and streamline form in order to minimize any possible reaction on the propeller itself.

The propeller is carried on the forward end of a shaft which runs in ring bearing, cylinder bearing, bearing, and hardened steel flat longitudinal surfaces which engage with small ball-bearing shaft collars on a compression plate carried by a bevel gear. This bevel gear runs on ball bearings outside the hub, which is to provide protection from contact with the propeller shaft. The driving motor is placed well rear of the fan, especially as of the wind stream and driven the propeller shaft through a bevel gear.

In this manner the propeller shaft is subjected to no angular motion only motion as the motor drive is concerned. It is



Top: The propeller held in the Stanford University wind tunnel.

Center: Counter designed by Prof. E. P. Ladd for measuring exact speed of test propeller.

Bottom: The vacuum used to measure propeller torque.

especially free to move longitudinally, as may be desired by special fixtures.

The propeller forces are the thrust due to the propeller itself and some form of weight or aerodynamic forces calculated in control and balance each other. In this case the propeller shaft is furnished with two ball-bearing sleeves which contact through hardened steel knife edges with a vertical lever. This lever is attached to a shaft which extends outside the standard, well beyond the air stream where it carries a horizontal scale beam with suitable weights.

An adjustable weight in the casting serves to adjust the center of gravity of the device for sensitivity of response and suitable stops control the range of motion of the vertical arm, and hence the horizontal travel of the propeller shaft.

This arrangement furnishes a sensitive and reliable

means of measuring longitudinal forces developed by the propeller and without constraint due to the motor drive. The frictional forces involved when the shaft is in rotation are as small as is to be negligible in comparison with the propeller forces involved, but even these, small as they are, may readily be eliminated by sensible calibration.

The torque on the motor shaft is then measured by the tension of a special coiled spring. To measure that tension two fibre disks are fixed to the shaft, one on either side of the spring. These disks carry a narrow metal strip on the side to serve as an electric contact. The contacts are electrically connected so that they close in contact with each other. A lead brush resting on the base of the disk "A" is caused by the dynamometer frame. From this brush is fed an electric conductor, first to a battery, then to a telephone receiver, and then to a second brush mounted over disk "B". If the contacts on the disks pass under the brushes simultaneously the circuit will be closed for the receiver and a click will be heard in the telephone receiver. If they do not pass simultaneously, the circuit will be closed for a short time. Suppose then, with no torque on the shaft, the brush on disk "B" is so adjusted as to give simultaneous contacts and a click in the receiver is heard, then with a load thrown on and a resultant torque the spring will move, the contacts no longer will be simultaneous and no click will be heard. Then the brush holder at "B" can be moved around to a point where the contacts again will be simultaneous and the disk will be picked up again. The angle through which the movable brush holder is caused to enter will be used to find the torque and thus the propulsive calibration is readily obtained due to torque balance.

Propeller revolutions are counted by the movement on a drum, geared down by double worm-gear drive, and so adjusted as diameter that one inch of travel on the face of a paper strip revolved on the drum is just 50 revolutions. The drum is appropriately mounted on a frame with pencil carrier and with electric connection to a second's timing mechanism. In operation the drum revolves and the pencil (per pen) rating on the paper draws a line with jogs introduced by the disk at second intervals. A given length of time is thus translated into revolutions per minute thus readily determined.

The ultimate measure of air speed is based on the Pitot tube. In the type used the static pressure is introduced through air holes of about .002 in. diameter. To avoid making a series of Pitot tube variations in connection with each experiment, however, a series of determinations were made between the depressions (difference in pressure outside and within the experimenting room), considered as an air pressure head, and the resulting velocity at the propeller location within the experiment room.

Considering wind tunnels in ground, so another what the type, the air stream may be considered as closed. If the air stream is closed, the air is considered as being constraint throughout the entire tunnel, the closed character is evident. If, as in the Bébét type, the air is deflected to one end of a room and driven from the other, the return outside the room may be viewed as through the room. The room may furthermore be considered as of any size, and in the extreme case it may be supposed infinite in dimension, in which case the air may be considered as delivered at one point and drawn in from another.

From this viewpoint, the problem is, therefore, that of extracting and maintaining a continuous flow of air in a closed circuit. The energy required will then be obviously the energy dissipated in the circuit. If no energy were in dissipating the air circuit once set up could continue indefinitely. There is, however, a continual dissipation of energy in the form of turbulence due to star formation and unavoidable friction of solid and turbulent motion. This loss of air or equivalent mass

will be the relation between the depression within the experiment room and the velocity of the air stream as based on Pitot tube determinations of velocity and manometric balance measures of the difference of pressure acting as an air head. Numerous determinations of this relation were made at the start of the work. Also, it should be noted that when a model propeller is in operation with a velocity sufficient to give a positive slip and hence an additional aerodynamic effect on the air, there is in effect an additional loss in the stream and hence one must expect an increase of air velocity.

The effect on the air stream was found to be twofold: (1) local and immediately in front of the model propeller,



Professor Ladd and two colleagues standing near the control panel of the wind tunnel.




Top: A model mounted in the Stanford University wind tunnel, Berlin. The device used to measure the velocity of the air stream by comparison of atmospheric pressure within and without the tunnel. The cells have a load and strength less than 0.01 lb. per sq. ft.

pellet, where there will be acceleration of the air as it approaches the propeller and (2) outside the propeller location, where the air stream is deflected, where there will be an increase in air stream velocity due to the greater amount of energy supplied in the circuit and a corresponding reduction in pressure in the experiment room with consequent general increase in the speed of airflow. It was, therefore, important to ascertain whether the general velocity of air stream, as indicated by that of the cylindrical shell about the propeller, still remained as the same relation to the fall of pressure within the experiment room.

Controlled speed tests showed that this was the case and it was, therefore, assumed that the combined action of the large fan propeller and the model propeller was to produce a velocity of air stream in the cylindrical shell surrounding the model, standing in the given and fixed relation to the depressions created in the room by the propeller action of the two propellers. The velocity of air stream thus corresponds to the model air stream flowing around and outside the propeller in the case of an airplane in free flight, and is, therefore, taken as corresponding to the velocity of flight through the air.

Similarly the load result immediately in front of the model propeller is to be taken as similar to the local acceleration of the air immediately in front of the airplane propeller, causing a local flow of air off to meet the downward moving propeller.

With a model propeller in operation and throwing off a stream of pronounced velocity, the air stream action was to be measured by the amount of load about the propeller as was indicated by tests by Pitot tube. The results indicated a relatively strong break in the influence of the propeller close about the tips of the blades, and that the size of the stream proper at and just in



Bottom: A photograph of a propeller test stand. The propeller is mounted on a large cylindrical hub, which is likely a wind tunnel or a propeller test rig. The stand is supported by a heavy frame and various mechanical components are visible.



WITH the growing volume of traffic and the ever increasing size of practically every flying place, the building and maintaining of airports is becoming more and more important. Not only must the runways be kept in perfect condition, but the entire field should be firm and level to prevent soft landings and take-offs anywhere. The cost of emergency landing fees is, as well as all other fees.

Constant care is necessary to maintain any level area of ground. Usage, frost, snow and the natural settling of the earth will cause depressions to appear. An unusual dry surface probably is affected to the greatest extent, and perhaps one of the most striking examples of this is a dirt road, which is very graded throughout. In 1928, even on a solid, a graded, a small area also required attention. Realizing this, the operators of some of the larger airports throughout the country are constantly grading and rolling their fields in an effort to provide an smooth a surface as possible, and in this work, the tractor seems to have come to the fore as one of the most adapt-able pieces of machinery for furnishing power.

Taking examples from the road builders, the tractor first appeared onto the scene when engineers adapted agricultural tractors for building runways, taxiways and other structures as a means of cutting costs and speeding the work. In tiny out-of-the-way countries, the construction of the Newark Municipal Airport at Newark, N. J., and that of Oakland Municipal Airport at Oakland, Calif., tract-type tractors, because of the ability to operate in soft ground or mud, furnished the motive power for these facilities almost entirely. The sites of both fields were formerly swamps but tracts of marshland.

At Newark, the work of reducing the swamp lands to

# Tractors in Airport Building

years. However, there was still much to be done when the city engineers began the construction of the airport, for the site was covered with wet marsh and soft fill. The filling of the depressions, leveling the building of roads and bridges was a tremendous undertaking. But as less than seven months, the first unit, consisting of about one-half of the 600 acre field, was opened. In this work the tractor played a large part.

Most of the preliminary filling of the low lands was accomplished by hydraulic dredging, and it was on this soft soil that the dozer operators, equipped with bulldozers, went to work, smoothing the hydraulic fill. Then, large quantities of dry fill were brought in by automobile truck and were spread out evenly by the tractor. The tractor was the only logical thing to use there, be-

"Caterpillar" tractors at work.  
Top: Building the Newark Airport. Center: Leveling the runway at Oakland Municipal Airport. Bottom: Building drainage ditches at Oakland after tractors had dug down



cause the ground was extremely soft and uneven. The tractor is known as the "big" tractor because until and had to be pulled out by the tractor. In compressing the drainage and sewer system, the tractor also proved invaluable for use in bulldozing the trenches, and the results were concentrated with their aid.

The same thing was true in the construction of the Oakland airport. When the work was started, the site was nothing but a swamp. Horses could scarcely walk at all, and the use of tractors was necessary. The tractor had provided a more firm footing. Two tractors were employed at first, and then four. These machines, pushing bulldozers and afterward was spread and leveled with a special road-mender off into the depressions. The land was plowed and afterward was spread and leveled with a special road-building grader. After that it was rolled by the tractors. In this work, tractors were used for hauling supplies, backhoe, trenchers, meeting spreaders, and for spreading sand and talc.

In the building of other airports, too, the tractor has played a large part. At the Springfield-Aquinas Field, which is located about five miles west of the center of Springfield, Mass., tractors were used for pulling down trees, spreading stumps and extracting boulders, as well as for leveling and rolling the land and other work in connection with the transformation of a former plantation into an air strip. In Boston, Mass., tractors and trams were used for dragging a logging camp deep into an aviation field in such a manner that they were used at Newark, and at Chicago, Ill., marshes leveled, rolled and spread circles after accomplishing the preliminary construction work.

At these airports and others, the tractors are still in service and are used constantly in maintaining the fields. In fact, tractors are now an article of standard equipment in many ports. In many cases, cities that are spending aviation funds have purchased and assigned tractors for permanent use in the upkeep of their fields, so great is the importance of the tractor in the maintenance of an airport regarded. In this connection, it might be mentioned that large "Caterpillar" tractors are one of the most popular makes for use in airport work.

Apart from the usual construction and maintenance work, however, the tractor is finding many applications at the modern air terminals. It is recognized that a plane

flies best when it is moving, and "greater" impetus in the construction of a North Carolina airport. Left: A tractor along a new strip in building the Newark Municipal Airport.

on the ground is usually at its best. With the engine running, it is possible to tow a plane into position, but the radius of turning is large and a "burst of gas" is necessary. This is often highly undesirable when there are spectators and passengers nearby, and at many airports small tractors are now used to move the planes about.

For this work also, the track-type tractor seems to be the most popular, because of its splendid traction on almost any surface and its remarkable power. At the Oakland Municipal Airport, a small "big" is used regularly for moving the large monoplane planes. The plane is towed by the tractor by means of a bar attached to the landing gear, while steering is accom-



A "Caterpillar 10" towing a Western Air Express three-engined Fokker transport at Oakland Municipal Airport. The plane is being towed from a "tug" which is being pulled by a small "big" tractor. The "tug" is a small, flatbed trailer with a small engine mounted on it. It is used for moving planes about inside the hangars and for towing the large hangar doors.

Caterpillar tractors also are providing the motive power for operating snow plows during the winter months at a number of airports in the northern section of the country. The traction of this type of tractor again is invaluable, and, in many instances, airport officials have reported that they have been able to keep ahead of a drifting blizzard with a snow plow attached to tractor, so that it has been possible to resume service immediately after the storm. Another use of the tractor has been developed likewise with the mounting of removable floatings on them.

# Gross-License Agreement of Dec. 31, 1928

By JOSEPH L. McMULLEN

Deputy-Colonel, Judge Advocate General's Department  
in charge of War Department Patents

FTER nearly 10 yr. of effort owners of aircraft patents have revised and improved the cross-license agreement, first made during the World War.

With the close of the war period and the resulting curtailment in the manufacture of aircraft except for certain limited orders by a few government departments, the need necessarily for the agreement of patent rights was lessened. The years following the World War, however, gave birth to the Lockheed's successful flight, were less years for plane manufacturers. Indeed, many of the corporations engaged in building aircraft went through bankruptcy, but while there still remained a necessity for a cross-license agreement there was not that urge that became so apparent immediately following Lockheed's flight.

From the successful flight of the Wright Brothers, as the majority is known of Patent No. 821,793 on May 22, 1906, development of aeronautics and the art of flying was rapid. By the end of 1914, considerably more than 1000 patents had been issued in the United States. A few other patents had been issued. Notable among these (prior to 1914) were those to Bell, et al., No. 1,011,001, issued Dec. 8, 1911, and Christopher, No. 1,095,548, issued May 5, 1914.

In two acts, Wright Company vs. Shiring Curtiss Company, 211 Fed. 199, and 204 Fed. 397, the court held that the Wright patent was the pioneer and was infringed by the Bell patent. That, of course, is not taken to mean that the Bell patent was invalid, but nevertheless the right to make, use, and sell applies embodying the inventions of each.

As a result of this cross-license agreement the holders of patents relating to aircraft, pooled their patent interests on a fixed royalty of \$100 to be paid into an association and distributed in accordance with the proportionate contribution value to the industry. Subsequent to this arrangement, on April 19, 1918, the Wright patent was abandoned and it was finally sold for \$900 for each of the two.

Contractors, receiving a share of the royalty, without a

substantially similar cross-license agreement, have not been satisfactory either to the Government or to the Association. But now, together with the many commercial interests, the necessity for an effective agreement to promote and develop the industry and encourage invention in the field of aeronautics makes the new agreement imperative.

The cross-license agreement, which has now been made by the War and Navy Departments and which became effective on Dec. 31, 1928, has met with the approval of the War and Navy Departments of the Government. This is best evidenced by the fact that a contract was concluded by these two Departments with the Manufacturers' Aircraft Association which went into effect as of Jan. 1, 1929. The Patent Committee of the Committee for Aeronautics made a careful study of the situation and determined that, in view of the fact that considerable litigation was probable to determine the prospective rights of the patentees, necessarily resulting in the disbursement of the Army and Navy in carrying out their plans, for national defense, some form of cross-licensing would help the situation. It may be remembered that, at the time the Act of July 1, 1918, was in effect, it was determined that there was no need to license. An Act of June 28, 1910, however, denying the right of injunction by a patentee, the royalty, the rates being arranged in a graduated scale according to the proportionate value of the patent—the

new agreement provides for a reduction of the royalty to be paid by the subscribers of the Association to as low as \$25.00 per plane. It will be appreciated that in fixing this rate a radical departure was made from the figure adopted in the original agreement and is a very important consideration in the new cross-licensing. In fixing the royalty at a lower figure, subscribers are thus encouraged to meet the growing demand for small planes.

Twenty-five dollars per plane, of course, a minimum royalty, the rates being arranged in a graduated scale according to the proportionate value of the plane—the

maximum royalty allowed being no more than \$200. The primary function of the Association is to act as an agent for the parties to the cross-license agreement in executing prospective licensees and in the distribution of royalties, and in carrying through on their directions as to the arbitration to pass upon the value of patents acquired subsequent to the execution of the agreement.

In the hearings before the Langley Committee in the House of Representatives in 1924, much was said about the illegality of the cross-license agreement but the final recommendation of that Committee clearly indicated that the Association was not a combination in restraint of trade within the meaning of the Sherman Anti-Trust Law and Clayton Act.

Among the criticisms it was alleged that several separate clauses of the cross-license agreement, and that the agreement itself, apparently operate in the direction of monopolization of the production of airplanes in the United States and exclude all other persons from manufacturing them, and will operate to defeat the purpose and intent of the patent laws and to stifle certain categories from liability for infringement.

The authority to file a patent application of the United States is granted by Article I, Section 8, Clause 8, of the Constitution which empowers Congress to promote the progress of science and useful arts by securing for a limited time to authors and inventors the exclusive right to their respective writings and discoveries.

Congress has construed that power continuously since the first patent act of 1790 (Chap. 7, Sec. 1, Stat. 109), which conferred upon the patentee the sole and exclusive right and liberty of making, constructing, using and selling to others to the extent, the said invention or discovery. In the patent act of 1870 (Chap. 1, Sec. 1, Stat. 126) the words were the same. In that of 1880 (Chap. 357, Sec. 5, Stat. 117) they were changed to the full and exclusive rights and liberty of making, using and selling to others to be used, the said invention and discovery.

The present patent statute (Act of July 4, 1929, c. 200, Sec. 27, Rev. Stat. 8844, U. S. Comp. Stat. 1916, Section 9438), provides:

"Every patent shall . . . grant to the patentee, his heirs, or assigns, for the term of seventeen years, the exclusive right to make, use, and vend the invention or discovery throughout the United States and the territories thereof, subject to the stipulations in this title, or to the Government, as well as the anti-trust statute, there has been no case in which it has been held that the right of the patentee to determine whether or not he shall assign another has been in any way impaired, and no such right can be given by the owner of a patent, not in connection with the title or lease of an article embodying the patented invention, certainly may be very broad in scope."

In the new cross-license agreement on Dec. 31, 1928, the parties have agreed that it is their desire to bring together the owners of aeronautic patents under a lump sum royalty in order to prevent litigation or threatened litigation in the future, and to give to all the subscribers the right to make, use, and vend any airplane or aircraft, and to the extent of each of the subscribers and to that end to cause licensees to make with respect to patents now owned and controlled by the subscribers and as to patents which they may acquire in the future. The cross-license agreement provides that the subscriber shall not grant licenses to others on more favorable terms than those granted under the cross-license agreement to such other and also provides for arbitration of claims and disputes and for the release of the claim of the subscriber.

As a new feature of the new agreement the results of the agreement on the aeronautic industry and the aircraft in general will be of relatively much more importance and far-reaching to its effects toward the advancement of aeronautics than was the somewhat similar cross-license agreement in the automotive industry.

The members of the industry need have no timidity in entering into this new agreement in thought to be well demonstrated by the attitude taken by Congress and the members of the Government in dealing with the Association and especially in view of the well-acted law by the Supreme Court on such considerations.

seen to need no further explanation than the word of the statute. It has, however, received explanation in a number of cases which bring out clearly the intent of the statute as we understand it and as it is set out in the law and to the public. These cases declare that he receives nothing from the law that he did not have before, and that the only effect of the patent is to restrain others from manufacturing and using that which he has invented. And it was further said in that case, that the inventor could have kept his discovery to himself, but to reduce a disclosure of it Congress has, by its legislation, made it a person's right in the Constitution, guaranteed him as an exclusive right in the Patent Act.

Among the criticisms it was alleged that several separate clauses of the cross-license agreement, and that the agreement itself apparently operate in the direction of monopolization of the production of airplanes in the United States and exclude all other persons from manufacturing them, and will operate to defeat the purpose and intent of the patent laws and to stifle certain categories from liability for infringement.

The authority to file a patent application of the United States is granted by Article I, Section 8, Clause 8, of the Constitution which empowers Congress to promote the progress of science and useful arts by securing for a limited time to authors and inventors the exclusive right to their respective writings and discoveries.

Congress has construed that power continuously since the first patent act of 1790 (Chap. 7, Sec. 1, Stat. 109) which conferred upon the patentee the sole and exclusive right and liberty of making, constructing, using and selling to others to the extent, the said invention or discovery. In the patent act of 1870 (Chap. 1, Sec. 1, Stat. 126) the words were the same. In that of 1880 (Chap. 357, Sec. 5, Stat. 117) they were changed to the full and exclusive rights and liberty of making, using and selling to others to be used, the said invention and discovery.

Such a construction of the act we have no doubt was not an error, but it was a fact.

Although the nature of the patent right has been frequently under consideration by the Supreme Court and contracts in association therewith have in several instances been declared void for attempting to extend its monopoly to matters not therein contained and to acquire considerations in violation of the general law, as well as the anti-trust statute, there has been no case in which it has been held that the right of the patentee to determine whether or not he shall assign another has been in any way impaired, and no such right can be given by the owner of a patent, not in connection with the title or lease of an article embodying the patented invention, certainly may be very broad in scope.

In the new cross-license agreement on Dec. 31, 1928, the parties have agreed that it is their desire to bring together the owners of aeronautic patents under a lump sum royalty in order to prevent litigation or threatened litigation in the future, and to give to all the subscribers the right to make, use, and vend any airplane or aircraft, and to the extent of each of the subscribers and to that end to cause licensees to make with respect to patents now owned and controlled by the subscribers and as to patents which they may acquire in the future. The cross-license agreement provides that the subscriber shall not grant licenses to others on more favorable terms than those granted under the cross-license agreement to such other and also provides for arbitration of claims and disputes and for the release of the claim of the subscriber.

As a new feature of the new agreement the results of the agreement on the aeronautic industry and the aircraft in general will be of relatively much more importance and far-reaching to its effects toward the advancement of aeronautics than was the somewhat similar cross-license agreement in the automotive industry.

The members of the industry need have no timidity











# FOREIGN ACTIVITIES

## Italia Inquiry Board Says Nobile at Fault

ROMA, ITALY.—Another chapter in the story of the *Globe* has been closed by the report of the board of inquiry appointed by Premier Mussolini which places the blame for the disaster on a faulty instrument on the part of Giosuè Giuppone, the chief engineer. The report, which clears Marconi and Zagari from responsibility relative to their conduct as compared with the rest of the crew, also blames Giuppone for the loss of Dr. Ricci Marzoli, who died under reported circumstances which caused considerable concern throughout the world.

The report, which is the result of the examination of plates for five days and the services of two Swiss experts to prosecute the inquiry from Northampton and Bristol, found the *Globe* to have been in a condition of extreme danger when it was forced away on the last part of the flight. There is considerable doubt that the men landed safely and may possibly be alive. Details are being noted.

### Foreign News Briefs

Four E. A. F. Flying-Boat machines are on their way to the annual *Ceaco-Cope* Team races at the annual *Ceaco-Cope* Team races at the annual *Ceaco-Cope* Team races. They are due to arrive March 18.

The Kursk, India, Flying Club was opened last month and became the fourth, with the Bhopal, Dakki and Calcutta clubs, to be constituted under the control of the Aero Club of India.

A night mail service Viking Islands, Sweden, with Copenhagen, Amager and Paris and London as its points, a 200-mile flight has been arranged.

"In a quite undivided because the European Government and countries that countries should not take place over Europe, except by agreement between the two parties," was the way in which England's goal of new and improved relations with Germany was the logical flight of the Great Britain so that action was taken in the House of Commons.

Brussels and New York City will be the terminals of airship services to the Americas under the *Transatlantic*. The first, when completed, will be placed midway between the two terminals and a radio beacon will be established at Brussels. Considerable foreign interest has been displayed in the scheme, and no tenders are awaited with much interest.

France is working to speed up its transportation services by encouraging better cooperation between ground and air transport systems and by the development of aerial flying harbors and facilities. The

United States is invited to act as a model in this respect.

Foreign capital is being borrowed by Spanish air lines by direction of the government which is seeking an improved aviation throughout the country. Municipal rights are granted only those countries having Spanish rapid exclusively and this policy has forced the Decree which allows to buy out German aviation.

### Build One Place Cabin Plane

PARIS, FRANCE.—The first single seat cabin monoplane known as the *Wheeler-Piaggio P. M. 4* has been produced by Pierre Marboré and M. E. L. Piaggio. It has a high wing of cantilever construction and is powered with an A. E. G. 120 h.p. engine. The fuselage is of wood with a skin of 62 miles, and crating is at 45 miles, landing at 22 miles. It weighs 400 lbs. empty and has a load capacity of 200 lbs. The span is 32 ft. 96 in. and the chord of the wing is 8 ft. 10 in. The aircraft along similar the full span of the wing.

### West Indies Drawn Attention

LONDON, ENGLAND.—Programs of American air transport interests in the West Indies has attracted sufficient attention in the United States to warrant the issuance of action by the British government to see to it that service is rendered to the Bahama Islands and other possessions by some American companies get a foothold.

The Caribbean is considerably greater than the West Indies.

French, Mexican, English and South American interests reached Two American planes now lie in Nassau.

## De Havilland Produces Hawk-Moth Cabin Job

LONDON, ENGLAND.—An interesting first place cabin monoplane known as the *Hawk-Moth* has been produced by the De Havilland Aircraft Co. The aircraft is a single seat monoplane representing in many of the American small cabin planes. It is unique in the absence of a wing center section, the wings being attached directly to the top longitudinal fuselage frame. The tail is also unique being transverse tail stabilizer.

The wings are of wood. The engine is a 200 h.p. D. H. Gnat, eight cylinder air cooled. The top with a 2 ft. 1 inch seat is 5 ft. 6 in. long, 3 ft. 6 in. wide, and 2 ft. 6 in. high. The bottom is 5 ft. 6 in. long, 3 ft. 6 in. wide, and 2 ft. 6 in. high. The fuselage is 10 ft. 6 in. long, 3 ft. 6 in. wide, and 3 ft. 6 in. high. The tail is 10 ft. 6 in. long, 3 ft. 6 in. wide, and 3 ft. 6 in. high. The landing gear is 4 ft. 6 in. long, 2 ft. 6 in. wide, and 2 ft. 6 in. high. The engine and gear are built in.

### French Mail to Fly Atlantic

PARIS, FRANCE.—Plans of the Aeronautique Militaire to make the Atlantic Mail service available to South America after the *Transatlantic* system comes into operation are being considered. At present, fast transports boats cover the water passage between the Cape Verde Islands and South America.

### Report Mail Contracts Signed

212-MOS ARIES, ARGENTINA.—It has been reported here that a 10-year contract for the transportation of mail has been signed with the *Argentine Mail Co.* New York City has been engaged. Previous traffic in the Two-Motor Safety Airways of New York. A similar contract was reported to have been arranged in *Brasilia* (sic) between the *Argentine Mail Co.* and the *Brasilia*.

## Where the Junkers Planes Are Made



An aerial view of the Junkers aircraft plant at Dessau.

# THE BUYER'S LOG BOOK

## Flottorp Propellers

SEVERAL TYPES of wooden propellers for various engines are now being manufactured by the Flottorp Propeller Co., 1836 Linden Ave., S. E., Grand Rapids, Mich. These propellers are efficient and durable and much care is exercised in their design and manufacture. Strong grain lumber, from fine logs, is used. Strong grain lumber, from fine logs, is used. Other defects are carefully剔除 (removed) and round holes for moisture and other conditions. After removed from the logs the lumber is planed in a workshop until ready for use. The lumber is then planed on both sides, making it possible to detect any hidden defects.

The pattern for each prop is laid on the lumber in such a way that all defects will be cut out and the grain will run straight when the laminations are assembled into a propeller hub, so that the propeller will run true and straight. Some of the laminations are made of hub wood, which are planed, sanded and sanded. The work is then taken back to the planer, planed to the desired thickness and is ready for further inspection.

Sales to be glued are machined by hand with a special tool or in a common machine shop. Before gluing, however, it is necessary to be sure that the density is approximately the same for all pieces which are to be glued in one block. The pieces are graded and matched and, if some blocks are heavier on one side, they are counterbalanced by adding blocks to the side. For this reason a number of propellers are glued at the next time. This is important in obtaining the correct balance in the propeller.

Temperature is carefully maintained in the glue room and the glue is spread with a large brush or glue spreader. After the laminations have been glued they are placed in forms to hold them in position and these are stacked up in the glue press, retainer rods put on, and the entire unit

is held in a pressure chamber until the glue is set.

The prop is next prepared to reheat the laminations by impregnation with triple boiled boiled oil and then using a gas flame.

## Bronze Welding Rod

ANNOUNCEMENT has been made by the Oswego Steel Co., 30 East 42d St., New York, N. Y., of a new bronze welding rod. This product, which is designated *Osweld No. 21 High Strength Bronze Welding Rod*, has been thoroughly tested in the laboratory and is ready for use.

This rod is recommended for all bronze welding applications including the fusion welding of brass



A photograph showing a bronze-welded iron pipe joint with water flowing out of it, demonstrating the strength and seal of the weld.

and bronze, because-welding of malleable and gray iron castings, joining dissimilar metals and fusing up scrap metal, as well as welding refractories. Due to its properties, it is particularly well suited for welding of cast and cast iron, and easily machined. It is said to produce a weld metal as hard and wear resistant as that formerly made with manganese-bronze rod.

By its use, tough and durable weld metal having a tensile strength of over 55,000 lbs per sq. in. can be produced. This is about 15,000 lbs per sq. in. an increase of the strength obtainable with earlier bronze welding rods. It is also said to make a much stronger bond with various metals.

Properties of the rod electrode almost all healing and fusing of the weld metal. Heating fusions are reduced to a minimum and absorption of oxide and gas inclusions is a reason for both the remarkable sound and strong weld metal produced and the good adhesion to iron and steel.

## Endicott Forgings

THE ENDICOTT Forging & Manufacturing Co. Inc., has for many years been engaged in the manufacture of aircraft forgings, and is one of the leading aircraft manufacturers of this country.

The company manufactures drop air-type forgings weighing from 35 lbs to 900 lbs to use S. A. E. specifications and have facilities for heat treatment of forgings. This company has a capacity of over 20,000 tons per year.

## Bloxburg Control Sticks

THE BLOXBURG "Safe-T-Stick" has been designed to make it possible for the instructor to disengage his student's controls in the event that the latter "loses" on the stick. This safety device is manufactured by the Bloxburg Aero Supply Co., 3111 South Walnut Ave., Chicago, IL.



Diagram showing the mechanism of the Bloxburg Safe-T-Stick. It consists of two leather pieces for dual control stick safety. S—safety proper, R—clamps, O—head, L—body and J—pins.

Normal conditions the sticks are locked by pins which can be released in case of emergency by a wire which is led to the instructor's cockpit. When the wire is pulled the clamp rings open leaving the stick in the hands of the student but detached from the dual control mechanism.

With the safety device installed, in the event of a stick failure, a lock pin can be inserted through two holes in the clamp making the remaining mechanism impervious.

## Air Speed Indicator Tester

A NEW device which enables a pilot or air test operator to check air speed indicators quickly and accurately has been developed and introduced by the Consolidated Instrument Company of America, Inc., 300 East 42nd St., New York, N. Y. This instrument which is portable, is said to be the first of its kind to be developed and affords a means of checking air speed indicators after they have been installed in the instrument board of a plane.

The device is enclosed in a small wooden box and contains mostly of the parts which require the use of the indicator and a long length of rubber tubing, the end of which is attached to the instrument to be tested. The tubing is passed through a pair of holes on the inside of the box.

The Consolidated Instrument Company of America, Inc., also manufactures a complete line of instrument equipment for airplanes. This includes vacuum units of various types and sizes and instrument panels for a number of aircraft requirements.



Portable Air Speed Indicator Tester.

## SIDE SLIPS

By ROBERT R. OSBURN

According to the news, construction is about to start in a Delaware River playground, on a stadium, which is apparently some sort of a floating wheel of a type which will be anchored at intervals along important water routes to permit the use of airplanes with land undercarriages. If the inventor of this device—an enterprising salesman, we could get him in touch with at least six eastern flying clubs which should be in the market for one of these floating landing strips right away. \*

Our New York pilot was so anxious to get the recent Shirley-Stratford flight in Maine that he bought the airplane which took him down there. It seems to us that probably he didn't realize he was buying the ship when he started out. We can recall only too well buying at least three two-cabos under the impression we were buying

\*\*\*

There seems to be quite a controversy rising in Philadelphia over the selection of a transoceanic airport. It is not unusual for us to read, "One相聚 that some people seem to be racing to this site for the airport is that half of the field is under water."

This, of course, is not the ideal condition for a Philadelphia field, but if work is started immediately it may be possible to have the entire field under water before the next National Air Races is held there.

We don't know just how to account for it, but on examining maps of the general surroundings of Canfield Field on Long Island, we'd say quite an epidemic of subterranean bog swamps exist. Some of the pilots were referred to with names less than Captain, and some of them even ranked as Majors and Colonels. We didn't get an opportunity to consult General Wissman, Field Manager, about the title prevailing in the rest of the organization, but will report these to AVIATION readers as soon as possible.

\*\*\*

Mr. K. R. K. of Hartford, Pa., comes from a news item in the Baltimore Sun, "Tiptoeing along the tail of the ship back and forth to slew it up while he looked for a landing place," and suggests how to go about getting a tail to swing its tail as effectively.

Contrary to what might be expected by any one having experience with dogs, a plane may sit tail most comfortably when it is locked nose-down.

Mount E. C. D. of Brewster, N. Y., and B. C. of Brewster, N. Y., both mechanically jump on the same wave train, "Jack Story, 24, mid-air aviator of Kansas City, 3,000 miles from his plane to safety, but didn't forget to shear off the motor and seize a stick of wood."

This seems to be the aeronautical equivalent of the old question, "What can books talk to you with in a desert island?" Apparently every mid-pilot should take a pack of match with him on these long distances, 3,000-mile parachute jumps, preferably a neck containing a large percentage of pencils.

\*\*\*

The idea of shearing off the motor before making a parachute jump isn't much of a hot idea, either, and we suspect that the Department of Commerce requires every aviator to go right back and shut off in case he largens

## Capt. Hawks and "Wasp" set new record!

*The Texas Company*  
Texaco Petroleum Products

DETROIT BOSTON CHICAGO NEW YORK

Jul 4 1939

Mr. F. D. Rutherford, Mrs.  
Bett & Whitney Aircraft Corp.  
Hartford, Conn.

Dear Sirs:

Against most improbable  
weather, rain, snow, sleet and cold  
temperature your "Wasp" motor  
functioned perfectly. It was  
a great pleasure to ride behind  
such a splendid piece of  
machinery on my little flight  
from Los Angeles to New York in  
which the record was broken.

Yours sincerely,  
Frank M. Hawks

It's now eighteen hours, twenty-one minutes, fifty-nine seconds from Los Angeles to New York as the "Wasp" spent the 2,700 miles in new record to the transcontinental nonstop flight. Setting a new pace **PRATT & WHITNEY AIRCRAFT CO.** also made with a "Wasp."

HARTFORD, CONNECTICUT

**Wasp & Hornet**  
**ENGINES**

THANK YOU for reading AVIATION



## The Eight-Hour Day for Ford Planes



BONANZER AIRWAYS schedule their Ford planes for a round-trip flight between Chicago and Minneapolis-St. Paul every day. The trip each way takes about four hours. They assign their Ford planes a daily eight-hour duty.

Start Air Services fly a plane from Detroit to Cleveland in the morning, use it for sightseeing during the day, and then fly it on the scheduled Cleveland-Berlin flight that evening. The plane from Cleveland does the same thing in Detroit. These planes are averaging close to eight hours daily—even more in the summer when daylight is longer.

This kind of performance, day in and day out, results from the all-metal construction of Ford planes. Every structural member is of fusion strength, and that strength is measured to meet a known stress. As a consequence continuous work does not bring uneven wear or produce chronic failures in parts of maximum wear. Every single part of the plane is able to do its full share of work every day.

Only because they do all this service free from disrupting troubles and adjustments, repairs and replacements, can owners of Ford planes deliberately schedule their planes for such a high average amount of flying. Knowing they can get that performance so certainly,

they are able to operate with a minimum number of planes and keep the money they do invest in planes working at high efficiency.

Your planes are earning only when they're working. Nobody knows the limit of the Ford plane's capacity for work. The first one has yet to wear out.

**THE STOUT METAL AIRPLANE COMPANY**  
Divisions of Ford Motor Company  
Dearborn, Michigan

The Ford Trimotor All-Metal Transport will be on display at the All-American Aircraft Show

THANK YOU for visiting AVIATION

**SEND  
RIGHT NOW  
FOR YOUR  
BOOK**

*about*

**BOHNALITE**  
62%  
Lighter than Iron

A group of  
advanced Light  
Alloys used in  
a wide variety  
of Industries



CHAS. D. FOHR  
The leading all-metal aircraft  
builder in the world's  
busiest field after

This book illustrates and explains the wide range of aircraft parts that are now being made of Bohnalite. Here is explained the advantages of this new light metal—its physical properties and an informative his-


tor. If you are interested in weight reduction—longer life and an increased factor of safety—this book should be kept on hand for constant reference. Send for your copy today.

*Aircraft Division*

**BOHN ALUMINUM & BRASS CORP., DETROIT, MICH.**  
New York Chicago Philadelphia Cleveland Pittsburgh

THANK YOU for visiting AVIATION

## A NEW CEILING *in Training Plane Value*



This "Carter" has cylinder block mounted engine, manufactured by Finschell under license from James designer Sulzer Works. Left - the latest engine for its development in the world of the most strengthened. 1000 bhp at 2200 rpm. 513 x 512 mm. 2500 rpm.

YOU know and we know that a training plane has to be good. Any other idea is the most dangerous sort of false courage.

The Pittsfield "23" is the first commercial plane in the history of American aviation designed at every point for the instruction of student flyers. The "Genet" engine, now being produced in volume by Pittsfield at Farmington under exclusive license from Armstrong Siddeley, Marion, Ltd., answers for the first time the need for an American small airplane engine of proven dependability.

The Fairchild "21" is not merely good. It is at least a year ahead of the field at every point of comparison. Materials and workmanship are A plus—judged even by Fairchild standards. Safety factors have been actually doubled at several points. It is a low wing plane. "Floating" is eliminated and full vision is provided for both instructor and student.

*The 21*  
with its time-tested small engine  
of proven dependability  
and performance

ides per hour the "21" has a range of 435 miles. The landing wheels have an eight foot spread—38% of the wing span. Oleo shock absorbers eliminate bouncing. The plane can be ground looped at 40 miles per

For our without removing a wing tip.  
I am, as a visiting school operator,  
out on business to stay and to  
use the telephone. The phone  
is out at 8:30 AM. I fly home  
immediately—completely equipped  
and ready to fly—it will cost me  
more than a dollar's worth of service  
for every dollar you put into it.

F A I R C H I L D



## *AIRPLANES*

# ALL METAL<sup>®</sup> FLAMINGO<sup>®</sup>

THE  
FLAMINGO  
ALL METAL TRANSHIP  
Presto Tranship offers  
the lowest cost and highest  
quality of all types

The All-metal, Fastest, Triplane offers all the speediest, private owner and pilot, of the flying qualities of the old types, advantages of stream-lined construction — in the same price and performance range.

Stockholders want profits, not waste, and owners with foresight will select the most profitable plans. The "Pioneer" is not designed to carry heavy loads, but to move with economy through unbroken, and to attain maximum capacity in each individual section.

AL  
The heavy metals, however, have no appreciable effect on the mechanical properties of the metal. Therefore, the decrease in tensile and shear strengths of the metal due to the addition of the solute is due to the solute.

The *Electric* only is  
returnable throughout  
the entire range of the *Electric* series.  
Before being offered for sale to consumers  
expenses on *Electric* has been *Electric*'s guiding  
spirit has

THE  
METAL  
AIRCRAFT  
CORPORATION  
OF  
CINCINNATI  
KAREN AIRPORT



# Trailing Clouds of Glory

Aviation is a settled industry. The glory is won. The Pioneering is done. Science and Engineering will lead on. The scientist and engineer are both "Gentlemen from Missouri" . . . "You have to show them." They stand together as a bulwark protecting the new and wonderful step in advancing civilization. Safety, time, economy, profit are their watch words. Technical merit alone satisfies them.

Out of the fire, fire of the test block, down from the service ceiling, tried on mail and transport lines in Canada, in Florida, Naturaline emerges, the super aviation fuel.

Naturaline fuels from 100% Natural Gasoline and is not dehydrated blended with any other medium. With a high gravity, low initial, extremely high percentage over at 312° F (indicating unusual volatility) with, at the same time, an tendency whatever toward vapor lock, it is easily understood why Naturaline operates so smoothly and gives such perfect combustion in the modern type of aviation motor.

These qualities make it the pure, quick starting, complete burning, powerful, smooth, light weight fuel so desirable.

## NATURALINE

THANK YOU for visiting AVIATION

NATURALINE  
COMPANY  
OF  
AMERICA  
Chase and Smith Building  
TULSA, OKLA.  




Photo © George Arnold & Sonnen

# Where stability holds the stick . . .

Here's an aerial photograph that speaks for itself. The Government said it was unsafe flying. The COMMAND-AIRE proved that it was merely necessary, but the control and stability. The Government now admits it.

COMMAND-AIRE stability is the kind of stability that converts demonstration into sales. It is stability that widens your markets to include flying youth and conservative middle age.

To you, as a dealer, COMMAND-AIRE is more than an airplane. It carries the strong-

est sales appeal in proven assurance of unsurpassed stability— aristocratic lines—beautiful finish—and 10 cardinal points of structural superiority.



The COMMAND-AIRE franchise may still be open at your territory. Write for the COMMAND-AIRE proposition.

COMMAND-AIRE, INC.  
Little Rock, Arkansas

# COMMAND-AIRE

THE PLANE OF WIDER SALES

THANK YOU for visiting AVIATION



# UNIVERSAL SERVICE



## *The VOUGHT "CORSAIR"*

### MILITARY — SPORT — COMMUTING — TRAVEL

THE superior characteristics shown by the Vought "Corsair" in the U. S. Navy prove conclusively that this latest Vought plane is unequalled, not only for military use, but also for private and commercial use where real performance, quality and durability are desired.

Vought Airplanes provide universal service over land or sea, being quickly

convertible to land plane, seaplane or high performance amphibian.

Each production "Corsair" is guaranteed to equal or exceed the Four World Records for Altitude and Speed officially credited to this airplane. And behind every "Corsair" is the Vought Organization, with its enviable record in aviation history from the first Vought plane, the VE-7 (1917), to the "Corsair" (1929).

## CHANCE VOUGHT CORPORATION

Division of United Aircraft & Transport Corp.



LONG ISLAND CITY - - - - - NEW YORK

THANK YOU for reading AVIATION



## Aircraft

and accessory manufacturing and maintenance plants are using Oakite materials and methods with safety and economy for:

Cleaning motor parts after machining, before assembling, after disassembling

Removing heat treating oils  
Cleaning alloy plates

Cleaning aluminum crank cases and castings

Removing stamping and casting compounds

Annealing parts

Cleaning radiators

Cleaning before plating, galvanizing, electroplating, painting

Cleaning fastenings, bodies  
Stripping paint

Removing exhaust oils and carbon from bodies

Cleaning floors, walls and machinery

Washing waste and wiping cloths

Cleaning before lacquering, painting

# CLEANING

. . . . a vital factor  
in aircraft production  
and maintenance

**I**N aircraft manufacture and maintenance, cleaning operations are of major importance. For only when surfaces of metal parts are completely exposed can inspection detect hidden imperfections. And in overhaul work, only by rigidly excluding every bit of dirt, grit or foreign material from moving parts can disastrous mechanical failures be avoided.

Oakite materials and methods provide tested, successful procedures for performing every cleaning operation. They are backed by a trained service organization with twenty years' experience behind it, used by more than 19,000 concerns in over 300 industries.

And through Oakite Service Men you can, without obligation, obtain complete data for constructing and laying out efficient cleaning tanks, heating coils, and equipment. Detailed inquiries are invited.

Manufactured and sold by

OAKITE PRODUCTS, INC., 100 Thomas St., NEW YORK, N. Y.

Service Agents  
throughout the world  
are available to assist  
you in every aspect of  
the V-2 and Convair

**OAKITE**  
Industrial Cleaning Materials and Methods

# A Vital Message to SCHOOLS

Cut Instruction Prices... yet  
double-up on Profits!



You Can  
Do It With

*The Monoprep*

MAINTENANCE and operating costs of the MONOPREP are but a mere fraction of the expense attached to the average training plane.

That's why schools with Monoprep on the line can offer student training for less money and still enjoy larger profits than their competitors.

Often the same purchase money puts two Monopreps instead of a more expensive plane into service, which means two students in the air during the same hour. The side by side training permits the instructor to cover each lesson thoroughly while the student is in the air. This feature alone saves hours of time.

The MONOPREP embodies every qualification desired in a training plane.

Inquiries are invited for distributor  
and dealer franchise contracts. Write  
or wire today for full information.

**MONO-AIRCRAFT, Inc.**  
Builders of the Monoprep, Monocoupe, and Biplane  
Midway, Illinois, U. S. A.

Especially  
Designed  
for  
Economical  
Training

## Note these Monoprep Features—

Perfect vision all directions.  
Gidewall landing gear struts.  
Two doors.  
Frise type ailerons.  
High lift wing.  
Slow landing speed.  
Gas consumption 4 gal. per hr.  
Tree hours fuel.  
Highway price \$2675.

Increased Enrollment  
Accrues to the School  
with the MONOPREP



## THE Engines

Clouds are away! Is the mouth of a gull  
That soars through the sky with a song.  
Up and up when the clouds do not dare to pull  
The single-blade propeller is a silver glass  
that glows in a sky range here,  
The engine is a power plant that is bound to  
Offer high speed and a day's endurance,  
As the engine mounts and runs and rolls.

Let the clouds drift down and the ocean roll,  
And the sky with clouds appears,  
Let the wild winds whine and wail.

These are the things that the engines start.  
They will make a confidence dimension,  
Strength and power, and a power plant  
With great maneuverability always far  
When the engine mounts and runs and rolls.

Then will wave-borne birds and fishes sail  
Soaring and soaring, they multiply and  
Build from the clouds such a featherless nest  
As no other nest in the sky can be.  
A wave and a storm, violent and  
Lively and tempestuous they gather and roll  
And a gale that penetrates  
With the engine mounts and runs and rolls.

—CERVIN  
*Prince of the Clouds*  
You take the *First Flock* in Park  
A terror to the *Wings*, King of the Air.  
"It's the engine that mounts and runs  
and rolls."

—William Knott, Zoigfeld.

**ALONE**—what boundless satisfaction to those who venture the air's uncharted ways in the knowledge that Continental Motors Corporation, the world's foremost authority on gasoline motors, as well as its largest producer, has perfected the development of a complete line of aeronautic engines . . . no longer alone is he who guides these days of the air . . . together with a welcome brother . . . confidence . . . he rides the skies.

Continental Aeronautic Engine will be exhibited at the All-American Aircraft Show, Detroit, Michigan, April 6 to 14, 1939.

CONTINENTAL MOTORS CORPORATION  
Offices: Detroit, Mich. 31-548. *Farmer-Detroit and Madison*  
The Largest Automobile Motor Manufacturer in the World




# Continental Motors

*Thor*

## ELECTRIC DRILLS and SCREW DRIVERS

MIDGET TYPE



### Lower Your Costs With These Small Tools— Exceptionally Light In Weight and Speedy

These small electric drills and screw drivers were especially designed for delicate work. Since their introduction, they have rapidly taken the place of small hand operated tools because of their practicability and the many different kinds of work they can be used on. They fit into the palm of the hand, and being light, are very easily handled. Ideal for Aeroplane manufacturers.

You can try one of these small tools in your own shop for ten days, free of charge. Put it to the test. If its performance doesn't satisfy, return it at our expense. No red tape.

TOOLMAKERS SINCE 1893

**INDEPENDENT PNEUMATIC TOOL CO.**

PNEUMATIC  
TOOLS

232 South Jefferson Street  
Chicago, Illinois

ELECTRIC  
TOOLS

THANK YOU for visiting AVIATION

# IDEKO STANDARD HANGARS



To see an IDEKO hangar is to have a new appreciation of how good hangars can be in the standardized steel form.

IDEKO steel hangars are insulated against heat and cold, galvanized against rust and corrosion, sealed by lock-joint sheeting against rain and snow. They are fire-safe and easy to erect or alter. Can be adapted to your particular hangar requirements and are most economical in price.

Their attractive appearance, quality of engineering, material and workmanship will instantly appeal to you. Only by carefully checking the many features of these buildings can you judge the value offered.

**The International Derrick & Equipment Company**  
Columbus, Ohio  
Los Angeles, Cal.



A Typical  
IDEKO  
Insulated Panel



ILLUSTRATED here is a typical IDEKO insulated panel. The insulating material held firmly against the sheeting produces an insulating value equal to a 11" brick wall, or 20" of concrete. As no wooden nailing strips are used, there is no increase in the fire hazard.

At a cost of approximately one half of a brick or masonry type building, the same protection against heat or cold is obtained, yet the many advantages of the sectional construction are retained.

Atlanta	Baltimore	Biloxie	Calgary	Tulsa	Toronto	Winnipeg	Los Angeles
See Address	See Address	See Address	Fort Worth	Midwest City	Houston, Texas	Los Angeles, Calif.	755A

Export Representative: 14 Trinity Place, New York City, Columbus, Ohio, Houston, Texas, Los Angeles, Calif.

TELEGRAM: VUL for address AVIATION

# TRAINING That Qualifies



From today, thousands of the boys and girls of America are receiving the best possible training in aviation. Many of the best schools are now open to the public. The Guardian Air College is one of them.



## Full Training

Experts, with years of aeronautical experience have laid out, and teach the Guardian Course, under the direct personal supervision of Derek White, formerly General Manager of two great air schools, one of which advertised him as the "brightest and air school executive in the world."

Here at Guardian we teach you airplane construction, repair and maintenance under modern conditions. You are taught water work on modern engines, water and air cooling. You build every part of airplanes and tear down, adjust and assemble engines. In addition, you are taught aerodynamics, airplane drafting, welding, aircraft management and other subjects.

## No Flying

Guardian does not believe in flying by the planar and courses of flying alone. Many splendid jobs are to be had in the field of aviation and we encourage you to find that there are many positions, many opportunities, more money and a more glorious future in the ground work of the field. You may teach flying, but you can serve, about thirty hours, for the mechanical, industrial, financial and other positions. Many men who teach our course and start at mechanics will soon high in the industry.



2504 TEXAS AVE., DEPT. S, ST. LOUIS, MO.

THANK YOU for reading AVIATION

## Factory Conditions

Your airplanes and engines work as given right in the Guardian plant, where we are rapidly getting into production on Guardian Monogram. You then are taught to build rigs and fixtures, factory production methods and receive a breadth of training not given in ordinary schools.

## Special Offer

Right now we have a special offer that saves exactly half your tuition cost. We allow you to earn this amount working for us. Thus, we feel, is the greatest and most generous offer ever made to aviation students. Now is your opportunity. It is greater now than ever before, or will be again. Send the coupon at once for your copy of "Guaranteed Filled With Commerce," which will convince you of the superiority of Guardian.



DERRICK WHITE, President,  
GUARDIAN AIR COLLEGE,  
2504 Texas Ave., Dept. S, St. Louis.

Please send me a copy of 1929 book, "Guaranteed Filled With Commerce."

Name

Address

# "GULFPRIDE OILS"

## America's Finest Aviation Oil

GULFPRIDE OIL might be termed the "oil everlasting"—tough bedded, it presents an unpenetrable film to all bearings—seals piston rings thoroughly and resists dilution—May be had in the following grades:—

GULFPRIDE OIL 35	75 Viscosity S.U.V. at 210° F.
GULFPRIDE OIL 100	100 Viscosity S.U.V. at 210° F.
GULFPRIDE OIL 120	120 Viscosity S.U.V. at 210° F.
GULFPRIDE OIL 150	150 Viscosity S.U.V. at 210° F.
GULFPRIDE OIL 200	200 Viscosity S.U.V. at 210° F.

Write us for samples and specific recommendations for your particular engines.

At the Sign of the Orange Disc

## GULF REFINING COMPANY

PITTSBURGH, PA., U.S.A.

### District Sales Offices

Boston - New York - Philadelphia - Atlanta - New Orleans - Memphis - Louisville  
Refineries  
Bayonne, N. J. - Philadelphia, Pa. - Des Moines, Ia.

# Trenchlay - is the economical cable for airports



Trenchlay construction is unique. Its conductors are permanently sealed within non-metallic and chemically inert materials which are impervious to moisture and unaffected by ordinary earth acids and alkalies.

There can be no crystallization nor chemical effects in its non-metallic, non-magnetic sheath.

It is light in weight, conveniently simple to splice, and can be installed at lower-than-usual cost.

Lower in first cost, measurably cheaper to install; engineered and built for long and trouble-free life—these advantages make Trenchlay ideal for airport lighting.

May we have one of our engineers tell you of the well-known airports where Trenchlay is now in service, and of the many leading power-company engineers who are regularly specifying it?

ROME WIRE COMPANY  
DIVISION OF FERGUSON CABLE CORPORATION  
Rome, New York

## ROME WIRE

FROM WIRE BAR TO FINISHED COPPER WIRE

THANK YOU for reading AVIATION



## Big Business Stands Begging For Trained Flyers

The most magnificent opportunity for advancement the world has ever known is that's what aviation offers the young man who enters this fascinating new combination of peace and work. Aviation is a young man's industry. It's a field with the most rapid growth, opportunities, present and future, in the history of the world. He who starts in it now, he will be a millionaire before the close of the present year.

Parks Air College, the largest air school in the United States, leads all others, not only in enrollment, but in the number of its graduates, the thoroughness and meticulous accuracy of its training, and the completeness of its flying and ground equipment.

### Parks Graduates Are In Demand

And no wonder. They are trusted and dependable flyers and the aeronautics world is their home. They are in demand for those of the many young flying school graduate who offers himself to an industry that quickly discriminates—that will tolerate the pilot only when he proves his claim of excellence at the controls of an airplane. Parks Air College will graduate no flyers until he is entirely worthy of the trust that is to be placed in him as an aviator. In our class rooms you will follow a regular curriculum, old and new, as carefully as in the course of a University. And in the air you will be taught flying by the established and reliable Parks method.

The system that has turned out the largest number of other young flyers will graduate you too. It is this system of carefully coordinated instruction that has made Parks Air College the undisputed leader.

### Parks Graduates Are Expertly Trained

At Parks you will have the most modern equipment available for learning. A fleet of 25 new Tren-  
Air testing planes, kept in flying trim by a corps of crack mechanics. Every power plant of estates  
comes in addition from the Little Velt, the Cessna and the Wheeler, to the old reliable OX-5, in big  
batches, the OX-6 and the big Liberty.

You are 15 minutes from the downtown district of St. Louis, one of the most popular airports in the country. Here you see the country's most advanced flying planes as they drop in for an overnight stop. Here, too, you meet other students from every state in the union and from Canada and Mexico.

### Decide Now!

No other business has grown with the rapidity of aviation. Every day that you waste in getting into the game, you are losing. And every day you are going to be ahead of you in the race for the splendid positions aviation offers.



FILL  
IN THE  
COUPON  
NOW!

PARKS AIR COLLEGE, Inc.  
1840 N. Theatre St., St. Louis, Mo.  
Send me your book "Skyscanner No." with  
full information about your course.

Name \_\_\_\_\_

Address \_\_\_\_\_

## PARKS AIR COLLEGE

204-N Missouri Theatre Building

ST. LOUIS, MO.

Office Address: PARKSAIR

Member Aeronautical Chamber of Commerce

THANK YOU for reading AVIATION

## "Aerovel"

### Mohair Fabrics for Cabin Interiors

A group of  
mohair fab-  
rics created  
to emphasize  
individuality  
in the work-  
manship of  
the aeroplane  
cabin in-  
terior.

Products of  
*The Shelton Looms*  
Aeroplane Fabrics  
Division  
One Park Avenue  
New York



### Aircraft Magnets Rely On New Bakelite Material For Faultless Performance

**S**INCE the early days of the automobile and from the inception of modern aviation, Bakelite materials have been a factor of importance in ignition design. To cite a specific instance, the Stetefil magneto for Curtiss and Wright engines utilizes Bakelite Molded for several vital parts.

Faultless performance is an airplane magneto's most important basic feature. It therefore becomes imperative to use insulation material that possesses exceptional properties. Bakelite Corporation research laboratories responded to this need by developing a new Bakelite material with high insulation resistance especially adapted to magneto construction.

Added to the exceptional insulation properties and mechanical strength of this form of Bakelite Molded is the pronounced advantage of selected design and dimensions of maximum efficiency. Both form and size are securely stabilized and through holes are formed at the time of molding. Each insulating lead, outer ring, and insulation block comes from the mold a complete part, requiring no further machining operation.

Bakelite Molded is non-hygroscopic, light in weight, and will not contract or decompose.

Manufacturers, our agents and sales offices  
will be pleased to advise.  
Bakelite Corporation, Dept. A-100,  
51st Park Avenue, New York, N. Y.  
Chicago Office: 415 W. 12th Street  
Montreal Office: 50, Canada, Ltd.  
100 Dundas Street, Toronto, Ontario

**BAKELITE**  
THE MATERIAL OF A THOUSAND USES

THANK YOU for reading AVIATION

Keep the plane busy

ALL YEAR ROUND



If you are an airplane operator or in charge of a flying school you will be interested in the all-year money-making possibilities of a new aerial camera—the Fairchild "all-purpose" mapping and oblique model F-4.

To meet the growing demand for a simple and sure commercial camera, one that will get vertical or oblique photographs, and reliable at wide range of temperatures and altitudes, Fairchild has perfected the new model F-4. It is made with the same precision as the Fairchild cameras that last year helped to map 43,000 square miles for the Dominion of Canada.

The business of taking pictures from the air is waiting for you if you equip yourself to do it. Write for a descriptive booklet of what this fine camera is and what it does. Fairchild Aerial Camera Corporation, 879 West 86th Street, New York City.



This semi-automatic Fairchild model F-4 can be mounted ready to operate in less than five minutes. You start a complete vertical and oblique camera for mapping; it holds 100' film enough for 110 pictures, 27" x 31" and can also take 10" x 10" enclips. No Martin Fairchild pictures can be over-speeded; fast plane duration 112'. Total F-4 film is 1000 feet; instant prints possible from it in one minute. Oblique length optional. Price, including net, the chapter and expenses, total, only \$100.

**FAIRCHILD AERIAL CAMERAS**



THANK YOU for reading AVIATION



**Strong, good-looking  
buildings draw  
the paying rides!**

Visitors—attendees—  
public interest—that's what  
makes aviation pay. Taxi  
service—shop business—student  
training—city airport—the  
success of each largely de-  
pends upon its equipment—steel  
buildings.

Strong, fire-proof, safe—  
Maryland Metal Airport Buildings  
draw visitors to any field.  
Made of die-castings, interlocking  
standard sections of Lynceum Metal—the corrosion  
resistant alloy—they're ready  
on instant demand. Easily  
taken down and rebuilt with  
practically 100% salvage—  
Maryland Metal Airport Buildings  
are adaptable, yet they're  
built for permanence.

**AVIATION EQUIPMENT DIVISION  
OF THE MARYLAND METAL COMPANY**  
Baltimore • Maryland











# AUSTRALIA

We are prepared to negotiate for the following—  
The Australian manufacturing rights (royalty basis) of aircraft and sole agents of aircraft materials, aircraft and automobile equipment.

## We Are Contractors To—

Royal Australian Air Force.  
(Manufacturing aircraft, manufacture of spare parts and supply of stores)

Civil Aviation Department.  
(Manufacture of flying boats)

Australian Aerial Services.

(Manufacture of aircraft, manufacturing aircraft and repair, repair of aircraft and aircraft engine plants, etc.)  
Wrecks & Railways Department.  
(Institution of services with present engine plants)

Airline complete specifications, price lists and draft agreements, 1928—



MELBOURNE AIRPORT, 2000 Foot,  
Melbourne, Australia

# SEAMLESS STEEL TUBING

## All Aircraft Grades

WAREHOUSE STOCKS FOR IMMEDIATE  
SHIPPING IN ANY QUANTITY.  
MILL EQUIPMENT FOR SUBSEQUENT  
PRODUCTION REQUIREMENTS.

## SERVICE STEEL COMPANY

1835 FRANKLIN STREET  
DETROIT, MICH.  
10 E. 12th STREET  
CINCINNATI, OHIO  
1095 BROADWAY  
LOS ANGELES

## All

### Aeronautical Supplies

The largest stock of aeronautical  
parts, parts and accessories—everything  
from propellers to tail fins, all in stock,  
from stock to immediate.

Write for our copy of Catalogue F.

## Nicholas-Beazley Airplane Company Inc.

Montgomery, Missouri

THANK YOU for reading AVIATION

# MACWHYTE SAFE-LOCK Terminal



Made by  
Macwhyte Company, 2805 Four-  
teenth Ave., Kenosha, Wisconsin

Makers of  
Streamline and Round  
TIE RODS

▼

## •TITANINE• A Complete Range of AIRPLANE FINISHING MATERIALS

Color primers, black, white, chrome, etc. or grey!

Clear varnish and metallic dope.

Ti-Tan colored one-coat enamel dope.

Perfumed nitrate dope.

Flexible wire lacquer.

Wood and metal lacquer (for inside and outside finish).

TITANINE, Inc.  
Union, Union County, New Jersey  
Contractors to the United States Government

## GARDNER PROPELLERS

12 years' experience  
in designing and con-  
structing airscrews.

Gardner Propeller Works, Forest Park, Ill.

In the NATIONAL AIR RACES, September, 1928,  
B. G. MICA SPARK PLUGS  
again showed their reliability.

## Reliability of Performance

The Transcontinental Race Class A, B and C 1st,  
2nd and 3rd place.

All the Closed Course Events with  
the exception of Whistler and Wasp  
aircraft.

11 out of 11—1st place.

11 out of 11—1st place.

8 out of 9—1st place.

The Mitchell Trophy Race Class  
D-12 engine—1st and 2nd place.  
The MacC. M. Petrie Trophy  
Race Class D-12 engine—1st  
and 2nd place.

All WRECKS, WINGS, WHEELS AND  
HORNETS IN THE TRANSCONTINEN-  
TINAL NON-STOP RACE WERE  
EQUIPPED WITH B. G. MICA SPARK  
PLUGS.



Actual size of  
B. G. "Easier"

The **B. G.** Corporation

114 WEST 23rd STREET, NEW YORK, N. Y.



24 TITANINE  
Propeller  
Used for Casting

Before the invention of  
RESISTAL  
airplane propellers were not  
manufactured...—and  
therefore were not  
available. Which explains  
why we have  
RESISTAL  
Non-Shatterable  
Optical Grade

Strauss & Baugleisen  
56 Front St., Brooklyn, N. Y.

## Subscribe to AVIATION

Four dollars per year. Canada, five  
dollars. Foreign, six dollars. Single  
current copies, twenty-five cents.  
Back numbers, twenty-five cents.

# GRUSS AERO STRUT

## Shock Absorbers

Always in the  
AIR  
Yet on the  
GROUND



A 30 mph compression air sus-  
pension range of different  
lengths, weights and diameters  
and dimensions all set when testing.

A positive hydraulic check over-  
drive system. These features  
make all landing soft and short  
and the shock absorber is all  
parts of the ship.

**Safety, Economy and  
Efficiency**

Manufactured by

**GRUSS AIR SPRING  
CO. OF AMERICA**

San Francisco, California  
Full information upon request

Approved by Department of Commerce

# RUSCO AERO PRODUCTS

Safety Belts... Aero Blanks... Aero Cords... Shock-  
Absorber Units... Grade A' Aero Cloth, in all  
widths... Tape... Brackets... Lacing... Webbing... Tail-  
Skill Boots... Tank Straps... Battery Covers...  
Brake Lining... Miscellaneous Textiles.  
Leather and Stamped Rubber products.

Write for Complete Aero Catalogue  
The RUSSELL Manufacturing Co.

Montgomery, Pa. Sales and Distributors of COTTON  
New York City

## Hadley Airport

Just outside the Metropolitan parks and in-  
land flying area. The only completely lighted  
field in the Metropolitan District. Storage  
space available in modern steel and concrete  
hangars with expert service. We overhaul  
Wright and Pratt & Whitney engines.

**HADLEY CORPORATION**  
HADLEY AIRPORT, NEW JERSEY

THANK YOU for reading AVIATION







Number One of a Series  
of First Statements Re-  
garding a New Industrial  
Leader—Great Lakes  
Aircraft Corporation.



WILLIAM ROBERT WILSON  
—who as Chairman of the  
Board of Great Lakes Aircraft  
Corporation once more displays  
the remarkable talent for  
negotiation and accomplishment  
which has long since  
brought a leadership in management  
and financial circles.

## Responsibility


IT IS a significant fact that shrewd  
commentators on aeronautical mat-  
ters already list Great Lakes Aircraft  
Corporation among the leaders of the  
industry. That such a position should be  
assumed even in advance of forthcoming  
production announcements is a remark-  
able tribute to the inherent responsibility  
of the Great Lakes organization. The frank  
confidence which has been placed in this

powerful newcomer is born largely of re-  
spect for the brilliant past record of its  
executives, the high expectations which  
it has raised throughout the industry and  
deserved in the firm set of a solid en-  
gineering and financial background. Aviation  
experts leadership from Great Lakes  
Aircraft Corporation because it is headed  
by men who have always been leaders—  
and because it is in business to stay.

**GREAT LAKES**  
AIRCRAFT CORPORATION  
CLEVELAND, OHIO

Military and Commercial Airplanes • • • Seaplanes and Floats • • • Aluminum Alloy Parts

THANK YOU for reading AVIATION



**When lubrication is most important  
Mobil oil is the choice of all**

These daring pilots depended upon the unfailing performance of their  
planes. Every preliminary precaution was taken to assure such per-  
formance. Only the most dependable lubricants were chosen.

In all these famous flights they relied on the superior quality of Mobil-  
oil as their best insurance against engine trouble.

**A COL. LINDBERGH**

New York to Paris, Washington, D. C., to Miami City,  
South America, West Indies and back to St. Louis

**A MISS EARHART**

First woman to fly across the Atlantic

**A COMMANDER BYRD**

In the first successful flight to the North Pole

**A U. S. ARMY Fliers**

Around the World—San Francisco to Honolulu

**A ART GOEBEL**

San Francisco to Honolulu (Only Pilot Winner)

**A CAPT. STANOVSKY**

From Capital to Capital around Europe

  
**Mobil oil**  
Look for the red  
gasoline trademark  
on the Mobil oil  
container

Latin America—over the Andes. Latin, Mughan—Dawn-to-dark  
across the U. S. A. Shaggin, Olivera and Company—New York to  
South America. Major Douglas—Flight to Marquette, Mich. Miller  
Bros. to the United States South Africa, Australia, South and Middle  
African Airports. Japanese Fleet—Honolulu—Tokyo. Col. Nida—  
Prague to Tokyo. Superior quality as well as National and World-wide  
distribution services for Mobil's preference among experienced pilots  
and aircraft manufacturers. You are always near web.



**The World's Quality Oil**  
**Mobil oil**  
VACUUM OIL COMPANY

THANK YOU for reading AVIATION

SINCE 1892  MAKING TOOLS THAT DEPEND UPON ACCURACY



Axelson was one of the first plants in the United States to use Foucault's Gage Block...the highest standard of precision.

# To a Tolerance of $\frac{1}{100,000}$ inch


Such precision is not uncommon in the making of Axelson tools and is testing the accuracy of certain Axelson Motor parts.

IMAGINE a thin metal tissue, approximately 1 1,000 part of an inch. Visualize, if you can, that part again split into a hundred parts...an almost infinitesimal unit of dimension. Yet, such an incomprehensible degree of accuracy is attained as daily routine in the checking of certain precision tools employed by Axelson tool makers...and so it becomes an easy matter for mechanics and such an Organization to finish to exacting dimensions of accuracy the many fine operating parts of Axelson Airplane Engines. You can expect and will receive greater service from Axelson Engines. May we send literature?

**AXELSON MACHINE CO.**

*Airplane Engine Division*

P. O. Box 337 • Los Angeles, California



# AXELSON AIRPLANE ENGINES